Cutimed Science Card

Cutimed[®] Siltec[®]: The new comfort zone. Study confirms 85% user satisfaction.

Study >> Seckam A. 2019.



What experts recommend

The World Union of Wound Healing Societies (WUWHS) published a consensus document on the principles of effective wound care, where the following key requirements for a wound dressing were specified:



Exudate Management

Criteria

Absorption and retention of excess exudate

Benefit

- Improved wound healing

 (e. g. less maceration and less
 or no spread of the wound)
- · Improvement of the quality of life (e. g. less odor formation)
- · Less nursing care required



Patient's Comfort

Criteria

Wearing comfort and adaptation of the dressing to the affected body region

Benefit

- · Increased quality of life
- No slipping and early change of dressing

M

Ease of use

Criteria

Easy application and removal of the dressing

Benefit

- Time saving during dressing change
- Efficient use of materials and higher compliance of personnel

World Union of Wound Healing Societies (WUWHS) (2019).
Consensus Document. Wound exudate: effective assessment and
management. London: Wounds International

The study

Background: Multicenter cohort study for the clinical evaluation of foam dressings.* Participants: 129 patients with different wounds. Products used: Cutimed® Siltec®/Siltec® B

Method: Survey among attending healthcare professionals; three rounds per patient (intake visit, change of dressing, final assessment). Period: 14 days.

Results: High user satisfaction. In addition to the results shown below: improved wound margins and decreased pain sensation.

satisfaction 85% User satisfaction criteria Properties rated "very good" or "good" Sample size = 146 wounds; under compression therapy: 58 wounds Absorption (87%) **Exudate management** under compression Retention capacity (86%) Wearing comfort (94%) Patient's comfort Adaptation to the affected body region (90%) Simplicity of application (96%) Ease of use Simplicity of removal (99%) 85% **Overall satisfaction** 100%

*Conducted in: Germany and Poland; 2016/2017.

Seckam A. A multicentre, observational evaluation of the product characteristics of two absorbent foam dressings. Br J Nurs. 2019; 28:10-S17.



Overall

Abstract and links to the full version of the original study on Pub.Med.

Conclusion for clinical practice:

Cutimed® Siltec®/Siltec® B dressings meet the criteria specified in the World Union of Wound Healing Societies' (WUWHS) consensus paper. Thus, patients can enjoy a better quality of life and the hospital staff is relieved by easy-to-use, timesaving wound dressings.







